



767-300 BDSF



Cargo Loading Configurations

www.amerijet.com/learn/load-configurations



Configuration A

125" x 88" (318 cm x 224 cm) Side by Side x 22
88" x 125" (224 cm x 318 cm) Transverse x 2





Positions Limitations

- Positions A-1**
5,000 lbs / 2,267.96 kg
- Positions 2L/R – 5L/R**
7,560 lbs / 3,429.16 kg Per Position
(Combined 10,700 lbs / 4,853.44 kg)
- Positions 6L/R – 7L/R**
10,200 lbs / 4,626.64 kg Per Position
(Combined 15,000 lbs / 6,803.89 kg)
- Positions 8L/R – 12L/R**
7,560 lbs / 3,429.16 kg Per Position
(Combined 10,700 lbs / 4,853.44 kg)
- Positions A-13**
6,000 lbs / 2,721.55 kg

Configuration B

108" x 88" (274.5 cm x 224 cm) Side by Side x 24
88" x 108" (224 cm x 274.5 cm) Transverse x 2





Positions Limitations

- Positions A-1**
5,000 lbs / 2,267.96 kg
- Positions 2L/R – 5L/R**
7,560 lbs / 3,429.16 kg Per Position
(Combined 10,700 lbs / 4,853.44 kg)
- Positions 6L/R – 7L/R**
10,200 lbs / 4,626.64 kg Per Position
(Combined 15,000 lbs / 6,803.89 kg)
- Positions 8L/R – 13L/R**
7,560 lbs / 3,429.16 kg Per Position
(Combined 10,700 lbs / 4,853.44 kg)
- Positions A-14**
6,000 lbs / 2,721.55 kg

Configuration C

125" x 96" (318 cm x 224 cm) Centerline x 11
88" x 125" (224 cm x 318 cm) Transverse x 2



Positions Limitations


- Positions A-1**
5,000 lbs / 2,267.96 kg
- Positions 2C – 5C**
10,700 lbs / 4,853.44 kg
- Positions 6C – 7C**
15,000 lbs / 6,803.89 kg
- Positions 8C – 12C**
10,700 lbs / 4,853.44 kg
- Positions A-13**
6,000 lbs / 2,721.55 kg

Netted pallets in position A1 are limited to a height of 76.0" (193 cm).
Netted pallet in position A13 are limited to a height of 79.0" (200 cm).
All other pallet dimensions are the same as container dimensions.



Configuration D

88" x 125" (224 cm x 318 cm) Transverse x17



Positions Limitations

Positions A-1
5,000 lbs / 2,267.96 kg

Positions 2D – 6D
7,585 lbs / 3,440.50 kg



Positions 7D – 9D
10,680 lbs / 4,844.37 kg

Positions 10D – 16D
7,585 lbs / 3,440.50 kg

Positions A-13
6,000 lbs / 2,721.55 kg

Configuration E

96" x 125" (244 cm x 318 cm) Transverse x14
88" x 125" (224 cm x 318 cm) Transverse x2



Positions Limitations

Positions A-1
5,000 lbs / 2,271.55 kg

Positions 2E – 6E
8,245 lbs / 3,739.87 kg



Positions 7E – 9E
10,680 lbs / 4,844.37 kg

Positions 10E – 15E
8,245 lbs / 3,739.87 kg

Positions A-13
6,000 lbs / 2,721.55 kg

Configuration G

96" x 125" (244 cm x 318 cm) x 1
and 88" x 125" (224 cm x 318 cm) x2
96" x 188" (244 cm x 478 cm) Engine Pallet
96" x 196" (244 cm x 498 cm) 16-Ft Pallet



Positions Limitations

Positions A-1
5,000 lbs / 2,271.55 kg


Positions G1 – G5
15,000 lbs / 6,803.89 kg

Positions A-13
6,000 lbs / 2,721.55 kg

***Note**
Heavy zone of A/C can carry one PRA at a gross weight of 23,500 lbs / 10,659.42 kg

Netted pallets in position A1 are limited to a height of 76.0" (193 cm).
Netted pallet in position A13 are limited to a height of 79.0" (200 cm).
All other pallet dimensions are the same as container dimensions.






Loading Configuration LD4, LD8




1 Container per row
15 Centerline rows

LD4
Max Weight per container
5,400 lbs (2,449.40 kg)




1 Container per row
15 Centerline rows

LD8
Max Weight per container
5,400 lbs (2,449.40 kg)




1 Container per row
15 offset rows

LD3
Max Weight per container
3,500 lbs (1,587.58 kg)




2 Container per row
30 centerline rows

LD2
Max Weight per container
2,700 lbs (1,224.70 kg)



1 Container per row
15 offset rows

LD1
Max Weight per container
3,500 lbs (1,587.58 kg)



Loading Configuration LD1, LD2, LD3

Load Limit Chart

FWD Lower Cargo per Compartment


- 11L/11R 5,400 lbs / 2,450kg
- 12L/12R 5,400 lbs / 2,450kg
- 13L/13R 5,400 lbs / 2,450kg
- 14L/14R 5,400 lbs / 2,450kg
- 21L/21R 5,400 lbs / 2,450kg
- 22L/22R 5,400 lbs / 2,450kg
- 23L/23R 5,400 lbs / 2,450kg
- 24L/24R 5,400 lbs / 2,450kg

- 11P 11,250 lbs / 5,102.91 kg
- 12P 11,250 lbs / 5,102.91 kg
- 21P 11,250 lbs / 5,102.91 kg
- 22P 11,250 lbs / 5,102.91 kg


AFT Lower Cargo per Compartment

- 31L/31 5,400 lbs / 2,450kg
- 32L/32 5,400 lbs / 2,450kg
- 33L/33 5,400 lbs / 2,450kg
- 34L/34 5,400 lbs / 2,450kg
- 41L/41 5,400 lbs / 2,450kg
- 42L/42 5,400 lbs / 2,450kg
- 43L/43 5,400 lbs / 2,450kg



Belly Compartment Loading Configuration P1, LD-7, LD-9 (Size Code A)





FORWARD BELLY COMPARTMENT ALSO
CAPABLE OF CARRYING 4 PMC or PAG PALLETS OR 125" (318 cm) ULDs



1 CONTAINER PER ROW
4 CENTERLINE ROWS



1 CONTAINER PER ROW
4 CENTERLINE ROWS



1 CONTAINER PER ROW
4 CENTERLINE ROWS

